







Elevate ToolsTM

AN ISO 9001-2015 Certified Co.

Quality is our business

Mfg. of: CNC & VMC
Cutting Tooling Etc.



Perfection *with* Precision.

 www.elevatetools.in



Elevate Tools is taking a step forward to offer customers more options for sourcing quality tools that are readily accessible, well-stocked, and backed by exceptional service. Our commitment to quality is paramount, and we strive to meet and exceed the expectations of our customers. Elevate Tools is proud to be ISO 9001:2008 certified.

We possess state-of-the-art technology and advanced processing techniques, specializing in the production of cutting tools for CNC turning and milling machines. Our offerings include a vast range of products such as Boring Bars, Turning Holders, Threading Boring Bars and Tool Holders, Grooving Holders And Boring Bars, Sleeves, Soft Jaws & Spares all of which are of the highest quality and standards.

Elevate Tools is dedicated to providing products that rival the best in the industry. Our raw materials and tools are sourced from reliable and professional manufacturers worldwide. Each tool we manufacture is held to international standards and undergoes rigorous quality inspections. Our extensive network of channel partners provides convenient local sourcing options for our customers.

Our objective is to employ efficient management practices, maintain excellent quality, and harness cutting-edge technology. In the near future, we aim to expand our reach nationwide and provide powerful technological support for our tools, ensuring quick resolution to any unexpected issues. We plan to participate in major exhibitions in the metal machining industry to showcase our capabilities.



Vision

To be a leading provider of quality cutting tools and services in the metal machining industry, known for our innovation, expertise, and customer-focused approach.



Mission

Our mission is to provide our customers with the best products and services in the metal machining industry, driven by our commitment to quality, innovation, and customer satisfaction. We strive to build strong relationships with our customers, employees, and partners, and to continually improve our products and services to meet the changing needs of the industry.

WHY CHOOSE US



ISO 9001:2015 Certification -

Our company is certified to the highest quality standards, ensuring that our products and services meet the highest level of excellence.



Wide Range of Products

We offer a comprehensive range of cutting tools for CNC turning and milling machines, including Boring Bars, Turning Holders, Threading Boring Bars and Tool Holders, Grooving Holders and Boring Bars, Sleeves & Soft Jaws.



Commitment to Customer Satisfaction -

At Elevate Tools, we believe in going above and beyond to meet and exceed the expectations of our customers.



Expertise and Experience

Our team has extensive expertise and experience in the metal machining industry, ensuring that we deliver the best products and services to our customers.




Quality Materials

Our raw materials and tools are sourced from reputable and professional manufacturers worldwide, ensuring that our products are of the highest quality.



Local Sourcing Options

Our extensive network of channel partners provides easy local sourcing options for our customers.



Lazer Marking



VMM



HARDNESS TESTER



CONTOUR MEASUREMENT CONTRACER



VMC



CMM



WBMT INSERT

S10H SWUBR/L 06,06
S10H SWUBR/L 06,07



CCMT INSERT

S10H SCLCR/L 03,05
S10H SCLCR/L 04,07



CCMT INSERT (Spl.)

S16/08K SCLCR/L 06	S16/12K SCLCR/L 06
S16/10K SCLCR/L 06	S16/14K SCLCR/L 09
S20/16Q SCLCR/L 09	
L=15,18,21,25mm	L= 21,25,35,42mm



CCMT INSERT

S08H SCLCR/L 06	S25R SCLCR/L 09
S10K SCLCR/L 06	S32S SCLCR/L 09
S12M SCLCR/L 06,09	S40T SCLCR/L 09
S16Q SCLCR/L 06,09	S50U SCLCR/L 09
S20S SCLCR/L 09	



CCMT INSERT

S08H SCKCR/L 06	S16Q SCKCR/L 09
S10K SCKCR/L 06	S20S SCKCR/L 09
S12M SCKCR/L 06,09	S25R SCKCR/L 09
	S32S SCKCR/ 09



DCMT INSERT

S10K SDUCR/L 07	S25R SDUCR/L 11
S12M SDUCR/L 07	S32S SDUCR/L 11
S16Q SDUCR/L 11	S40T SDUCR/L 11
S20S SDUCR/L 11	



DCMT INSERT

S10K SDQCR/L 07	S25R SDQCR/L 11
S12M SDQCR/L 07	S32S SDQCR/L 11
S16Q SDQCR/L 11	S40T SDQCR/L 11
S20S SDQCR/L 11	



DCMT INSERT

S10K SDWCR/L 07	S20S SDWCR/L 07,11
S12M SDWCR/L 07	S25R SDWCR/L 07,11
S16Q SDWCR/L 07,11	S32S SDWCR/L 07,11



DCMT INSERT

S12M SDZCR/L 07	S25R SDZCR/L 11
S16Q SDZCR/L 11	S32S SDZCR/L 11
S20S SDZCR/L 11	



TNMG INSERT

S16Q STWNR/L 16	S25R STWNR/L 16
S20S STWNR/L 16	S32S STWNR/L 16



TNMG INSERT

S16Q STFNR/L 1304	S20S STFNR/L 1304
S16Q STFNR/L 16	S20S STQNR/L 16
S16Q STQNR/L 16	S25R STFNR/L 16
S20S STFNR/L 16	S32S STFNR/L 16



WNMG INSERT

S16Q SWLNR/L 06	S20S SWLNR/L 08
S20S SWLNR/L 06	S25R SWLNR/L 08



VNMG INSERT

S16Q SVUNR/L 12	S25R SVUNR/L 12
S20S SVUNR/L 12	S32S SVUNR/L 12
S16Q SVQNR/L 12	S25R SVQNR/L 12
S20S SVQNR/L 12	S32S SVQNR/L 12



VCMT, VBMT INSERT

S12/10K SVJCR/L 08	S20S SVJBR/L 16
S20/12K SVXBR/L 11	S25R SVJBR/L 16
S16Q SVJBR/L 11	S32R SVJBR/L 16

VBMT/VCMT INSERT

S16Q SVU/QBR-11	S32S SVU/QBR-16
S20S SVU/QBR-11	S40T SVU/QBR-16
S25R SVU/QBR-16	

THREADING INSERT

SINR/L 004-K06	SINR/L 012-K11
SINR/L 007-K08	SINR/L 013-K11
SINR/L 010-K11	

U-LOCK INSERT

SINR/L 010-K11
SINR/L 016-M16

THREADING INSERT

SINR/L 013-M16	SINR/L 032-S16, 22
SINR/L 016-M16	SINR/L 040-T16, 22
SINR/L 020-R16, 22	SINR/L 050-U16, 22, 27
SINR/L 025-R16, 22	

TPMT INSERT

S10K STUPR/L 09	S20S STUPR/L 11
S12M STUPR/L 11	S25R STUPR/L 11
S16Q STUPR/L 11	

SLITTING & ID GROOVING

S10/06 H NFTIH
S12/08 H NFTIH
S16/10,12 H NFTIH

Spl.

CCMT INSERT

CCMT Ø63mm (OTH.)

TCMT INSERT

S10K STFCR/L 09	S16Q STFCR/L 11,16
S10K STFCR/L 11	S20S STFCR/L 11,16
S12M STFCR/L 11	S25R STFCR/L 11,16

ID GROOVING

S16Q MGIVR/L 2,3,4mm	S32S MGIVR/L 2,3,4,5mm
S20S MGIVR/L 2,3,4mm	S40T MGIVR/L 2,3,4,5mm
S25R MGIVR/L 2,3,4,5mm	

ID GROOVING

S16Q CTIR/L 2,3,4mm	S32S CTIR/L 2,3,4mm
S20S CTIR/L 2,3,4mm	S40T CTIR/L 2,3,4mm
S25R CTIR/L 2,3,4mm	

ID GROOVING

S16Q TTIR/L 2,3,4mm	S32S TTIR/L 2,3,4,5mm
S20S TTIR/L 2,3,4mm	S40T TTIR/L 2,3,4,5mm
S25R TTIR/L 2,3,4,5mm	S50U TTIR/L 2,3,4,5mm

ID GROOVING

S16Q STIR/L 2,3,4mm	S32S STIR/L 2,3,4,5mm
S20S STIR/L 2,3,4mm	S40T STIR/L 2,3,4,5mm
S25R STIR/L 2,3,4,5mm	

ID GROOVING

ISO Standard (Dia: 16-50)

Kyocera Tip	Kennametal Tip
Mitsubishi Tip	Widia Tip
Iscer Tip	

APMT INSERT

APMT Ø63mm (OTH.)



B-CLAMP BORING BAR



TNMG INSERT

S25R BTUNR/L 16	S40T BTUNR/L 16
S32S BTUNR/L 16	S50U BTUNR/L 16



TNMG INSERT

S25R BTQNR/L 16	S40T BTQNR/L 16
S32S BTQNR/L 16	S50U BTQNR/L 16



TNMG INSERT

S25R BT-NR/L 16	S40T BT-NR/L 16
S32S BT-NR/L 16	



A-CLAMP DNMG INSERT

S25R ADUNR/L 1503	S40T ADUNR/L 1503
S32S ADUNR/L 1503	S50U ADUNR/L 1503



CNMG INSERT

S25R BCLNR/L 12	S40T BCLNR/L 12
S32S BCLNR/L 12	S50U BCLNR/L 12



WNMG-06 INSERT

S25R BWLNR/L 06	S40T BWLNR/L 06
S32S BWLNR/L 06	



WNMG-08 INSERT

S25R BWLNR/L 08	S40T BWLNR/L 08
S32S BWLNR/L 08	S50U BWLNR/L 08



A-CLAMP CNMG INSERT

S25R ACKNR/L 12	S40T ACKNR/L 12
S32S ACKNR/L 12	S50U ACKNR/L 12

B - CLAMP TYPE HOLDER



TNMG INSERT

BTJNR/L 2020-K16	BTJNR/L 3232-P16
BTJNR/L 2525-M16	



TNMG INSERT

BTQNR/L 2020-K16	BTQNR/L 3232-P16
BTQNR/L 2525-M16	



TNMG INSERT

BTENN 2020-K16	BTENN 3232-P16
BTENN 2525-M16	



TNMG INSERT

MTJNR/L 2020-K1304
MTJNR/L 2525-M1304



CNMG INSERT

BCLNR/L 2020-K12	BCLNR/L 3232-P12
BCLNR/L 2525-M12	



WNMG-06,08 INSERT

BWLNR/L 2020-K06	BWLNR/L 2525-M08
BWLNR/L 2525-M06	BWLNR/L 3232-P06
BWLNR/L 2020-K08	BWLNR/L 3232-P08

A-CLAMP TOOL HOLDERS



DNMG-15 INSERT

BDJNR/L 2020-K15	BDPNN 2525-M15
BDJNR/L 2525-M15	BDJNR/L 3232-P15
BDPNN 2020-K15	



VNMG INSERT

AVJNR/L 2020-K16	AVVNN 2020-K16
AVJNR/L 2525-M16	AVVNN 2525-M16
AVQNR/L 2020-K16	AVJNR/L 3232-P16
AVQNR/L 2525-M16	



CNMG INSERT

ACKNR/L 2020-K12	ACBNR/L 2020-K12
ACKNR/L 2525-M12	ACBNR/L 2525-M12
ACKNR/L 3232-P12	ACBNR/L 3232-P12



CNMG INSERT

ACBNN 2020-K12	ACBNN 3232-P12
ACBNN 2525-M12	



CNMG INSERT

ACMNN 2020-K12	ACMNN 3232-P12
ACMNN 2525-M12	



SNMG INSERT

ASBNR/L 2020-K12	ASBNR/L 3232-P12
ASBNR/L 2525-M12	

SCREW - TYPE HOLDER



CCMT INSERT

SCLCR/L 2020-K09	SCKCR/L 2020-K09
SCLCR/L 2525-M09	SCKCR/L 2525-M09



DCMT INSERT

SDJCR/L 2020-K11	SDQCR/L 2020-K11
SDJCR/L 2525-M11	SDQCR/L 2525-M11



RCMT INSERT

RPM T

SRDPM 2020-K12	SRAPL 2020-K12
SRDPM 2525-M12	SRAPL 2525-K12



APMT INSERT

APMTR/L,M 2525-M16
APMTR/L,O 2525-M16



TCMT INSERT

STFCR/L 2020-K11	STFCR/L 2020-K16
STFCR/L 2525-M11	STFCR/L 2525-M16



VBMT, VCMT INSERT

SVJBR/L 2020-K16	SVQBR/L 2020-K16
SVJBR/L 2525-M16	SVQBR/L 2525-M16
SVVNN 2020-K16	SVVNN 2525-M16
SVJBR/L 2020-K11	SVJBR/L 2525-M11



THREADING INSERT

SER/L 2020-K16	SER/L 2020-K22
SER/L 2525-M16	SER/L 3232-P16
SER/L 2525-M22	SER/L 3232-K22



VNMG INSERT

SVJNR/L 2020-K12	SVQNR/L 2020-K12
SVJNR/L 2525-M12	SVQNR/L 2525-M12
SVVNN 2020-K12	SVJNR/L 2020-K16
SVVNN 2525-M12	SVJNR/L 2525-M16

OD, FACE GROOVING



TAEGUTEC INSERT

TTER/L 2020- 2,3 4, 5mm	TTER/L 3232-2,3,4 5mm
TTER/L 2525- 2,3 4, 5mm	



TAEGUTEC INSERT

TGEUR/L 2020-2,3,4	TGEUR/L 2525-2,3,4
--------------------	--------------------



TAEGUTEC INSERT

TTFR/L 2020-2,3,4 (40 Min-400 Max.)	TTFR/L 2525-2,3,4 (40 Min-400 Max.)
--	--



SPL. KORLOY OD

MGEVR 2020 2,3,4mm
MGEVR 2525 2,3,4mm



TGF INSERT

KTGFR/L 2020-K16
KTGFR/L 2525-M16



SPL. CENTRE

CENTER TOOL 2020, 2525 6.35, 8, 10, 12, 12.5, 14mm



TAEGUTEC INSERT

TTFR/L 2020-2,3,4,5 (30 Min-220 Max. All Size)	TTFR/L 3232-2,3,4,5 (30 Min-220 Max.All Size)
TTFR/L 2525-2,3,4,5 (30 Min-220 Max. All Size)	

ISO Standard
(OD FACE GROOVING ALL: Insert)



KORLOY INSERT

MGEHR/L 2020-1.5, 2,3 4, 5mm	MGEHR/L 3232-2,3,4 5mm
MGEHR/L 2525-1.5, 2,3 4, 5mm	



SANDVIK INSERT

STVR/L 2020- 2,3 4, 5mm	STVR/L 3232-2,3,4 5mm
STVR/L 2525- 2,3 4, 5mm	



CERATIZIT INSERT

CTVR/L 2020- 2,3 4, 5mm	CTVR/L 3232-2,3,4 5mm
CTVR/L 2525- 2,3 4, 5mm	



PENTA CUT INSERT

ISCAR INSERT

PCHR/L 20-24
PCHR/L 25-24



PENTA CUT INSERT

Taegutec Insert

TQHR/L 20-27
TQHR/L 25-27



PENTA CUT INSERT

Tungaloy Insert

STCR/L 20-27
STCR/L 25-27



KORLOY INSERT

MGFHR/L 2020-2,3,4,5 (30 Min-220 Max.All Size)	MGFHR/L 3232-2,3,4,5 (30 Min-220 Max.All Size)
MGFHR/L 2525-2,3,4,5 (30 Min-220 Max.All Size)	





T-Nut



All Type Clamp



Jaws & L-Type Jaws



Torx Key



Torx Screw



All Clamps



Bullet/Insert



All Type Shim



Sleeve



Spare Parts



B-Type Clamp Bolts



Circlip



Spanner



ER - Collet Chuck



Captured MOMENTS OF OUR LAST EXHIBITION





Manufactured by:
ELEVATE TECHNOLOGY

Gali No.7, Near Shiv Mandir, Bhudatt
Colony, Sihi Gate Road, Ballabgarh-121004,
Faridabad (Haryana)
Mob.: 9911309349, 9990202532
E-mail : elevatetechnology@yahoo.com

Channel Partner: